

# POLYCLEAR Refresh PET 1101

PET

Indorama Ventures PCL

Thermal properties	Value	Unit	Test Standard
<b>Other Standards<sup>[S]</sup></b>			
Melting temperature, 10°C/min	240	°C	

S: These properties are reported by the producer according standards that are different to our defaults.

Other properties	Value	Unit	Test Standard
Intrinsic Viscosity	0.84	dl/g	-
Acetaldehyde	0.5	ppm	-
Color b	-3	-	CIE
Crystallinity	53	%	-
Moisture Content	0.15	%	-

### Other Standards<sup>[S]</sup>

Density	1400	kg/m <sup>3</sup>	
---------	------	-------------------	--

S: These properties are reported by the producer according standards that are different to our defaults.

## Characteristics

### Processing

Blow Molding

### Special Characteristics

Transparent

### Features

Barrier Properties, High Gloss, Copolymer

### Certifications

Food contact, Food approval FDA 21 CFR

### Applications

Packaging

### Regional Availability

North America, South and Central America