

IPYLENE PP T25

PP-T25

Intercontinental Polymer Pvt Ltd

Mechanical properties	Value	Unit	Test Standard
ASTM Data			
Tensile Strength at Yield	30	MPa	ASTM D 638
Elongation at Break	40	%	ASTM D 638
Flexural Strength	65	MPa	ASTM D 790
Izod Impact notched, 1/8 in	42	J/m	ASTM D 256

Thermal properties	Value	Unit	Test Standard
ASTM Data			
DTUL @ 264 psi	88	°C	ASTM D 648

Other properties	Value	Unit	Test Standard
Density	1080	kg/m ³	ASTM D 792

Characteristics**Regional Availability**

Asia Pacific