

IPTher PPO GX20

PPO-GX20

Intercontinental Polymer Pvt Ltd

| Mechanical properties | Value | Unit | Test Standard |
|------------------------------|--------------|-------------|----------------------|
| ASTM Data | | | |
| Tensile Strength at Yield | 90 | MPa | ASTM D 638 |
| Elongation at Break | 4 | % | ASTM D 638 |
| Flexural Modulus | 5500 | MPa | ASTM D 790 |
| Flexural Strength | 120 | MPa | ASTM D 790 |

| Thermal properties | Value | Unit | Test Standard |
|---------------------------|--------------|-------------|----------------------|
| ASTM Data | | | |
| DTUL @ 264 psi | 135 | °C | ASTM D 648 |

| Other properties | Value | Unit | Test Standard |
|-------------------------|--------------|-------------------|----------------------|
| Density | 1200 | kg/m ³ | ASTM D 792 |

Characteristics**Regional Availability**

Asia Pacific