

Product Texts

Platamid® H 106 Powder

Copolyamide Hot Melt Adhesive / Textile Applications

Platamid® H 106 Powder is a very low melt copolyamide adhesive powder for the production of fusible interlinings. **Platamid® H 106 Powder** is particularly useful where bonding temperature low and short bonding time are required for sensitive shell fabrics. **Platamid® H 106 Powder** has an excellent dry cleaning resistance and washing resistance up to 40°C.

AVAILABLE GRADES

This product is available in different grain sizes:

- Platamid® H 106 PA 100
- Platamid® H 106 PA 80 (0-80 µm)
- Platamid® H 106 PRA 200/25 (0-200 µm)
- Platamid® H 106 PTA 120 (0-120 µm)
- Platamid® H 106 PTA 170 (80-170 µm)
- Platamid® H 106 PTA 170/20 (0-70 µm)
- Platamid® H 106 PA 80 Black
- Platamid® H 106 PA 80 Red
- Platamid® H 106 PRA 170
- Platamid® H 106 PTA 170 Black
- Platamid® H 106 PTA 170 Red
- Platamid® H 106 PTA 60/150

PACKAGING

All grades are delivered in 20 kg sealed bags.
 Platamid® H 106 PA 80 is also delivered in 500 kg sealed big bags (GRVS).
 These grades are ready to be processed.

SHELF LIFE

Two years from the date of delivery. For any use above this limit, please refer to our technical services.

Processing/Physical Characteristics	dry / cond	Unit	Test Standard
ISO Data			
^[C] Melt volume-flow rate, MVR	90 / *	cm³/10min	ISO 1133
Temperature	160 / *	°C	-
Load	2.16 / *	kg	-

[C]: CAMPUS

Thermal properties	dry / cond	Unit	Test Standard
ISO Data			
^[C] Melting temperature, 10°C/min	115 / *	°C	ISO 11357-1/-3

[C]: CAMPUS

Characteristics

Platamid® H 106 Powder

PA*

ARKEMA

Delivery form

Powder

Features

Copolymer

Regional Availability

North America, Europe, Asia Pacific, South and Central America, Near East/Africa